

# Evaluating Tactical Readiness Across Forward Operating Bases Using Autonomous Resupply Protocols

Journal ——. 2026, Vol. 26(4) 1–11  
©Publication:  
Journal Paper 2026  
Article reuse guidelines:  
pub.com/journals-permissions  
DOI: 10.1177/ToBeAssigned  
journals.pub.com/home/trr

ABCD

Amrita Kar Das<sup>1</sup> and Sumanta Kumar Das<sup>2</sup>

## Abstract

This study investigates tactical readiness across Forward Operating Bases (FOBs) by embedding autonomous resupply protocols into daily operational logistics. Drawing on parallels with sortie generation analysis in aviation contexts, the framework integrates fuel availability, ammunition sustainment, and personnel support as readiness determinants. A comparative simulation contrasts conventional convoy-based resupply with UAV- and robotic-assisted delivery systems, quantifying impacts on operational endurance. Results from sample calculations indicate that traditional logistics sustain only 50–60 percents of required mission capacity, whereas autonomous integration elevates readiness indices beyond 100%, creating surplus capability under contested conditions. The Tactical Readiness Index (TRI) is formalized as a weighted matrix incorporating detection latency, mission continuity, adaptive response time, and attrition resilience. Statistical analysis demonstrates that autonomous resupply reduces variance in TRI across FOBs, stabilizing performance even in high-risk environments. Sensitivity testing reveals that prioritizing adaptive response time and attrition resilience yields the greatest gains when autonomy is applied. The findings underscore the strategic value of autonomy in mitigating vulnerabilities, enhancing resilience, and extending operational reach. Beyond immediate tactical benefits, the study positions autonomous resupply as a scalable model for defense preparedness, adaptable to diverse geographies and threat environments. In the Indian context, where FOBs are central to counter-insurgency operations, the integration of autonomous logistics offers a transformative pathway toward sustained readiness and force protection. This research contributes to defense modeling by bridging operational simulation with strategic policy, demonstrating how autonomy can redefine the logistics-readiness nexus.

## Keywords

Tactical Readiness Index (TRI); Detection Latency (DL); Mission Continuity Index (MCI); Adaptive Response Time (ART); Attrition Resilience (AR); Autonomous Resupply; Forward Operating Bases (FOBs); Combat Modeling; Heterogeneous Lanchester Model;

## Introduction

### *Context: CRPF Operations, Insurgency Environment, and 229 FOBs*

The Central Reserve Police Force (CRPF) has been at the forefront of India's counter-insurgency operations, particularly in regions affected by Left Wing Extremism (LWE). Since 2019, the CRPF has established 229 Forward Operating Bases (FOBs) across six states, including Chhattisgarh, Jharkhand, Odisha, Maharashtra, Telangana, and Madhya Pradesh. These FOBs serve as critical nodes for sustaining operations in remote and contested environments, acting as both defensive strongholds and logistical hubs. The

insurgency environment in these regions is characterized by dense forests, limited infrastructure, and persistent threats from armed groups, making the sustainment of FOBs a complex challenge. The establishment of FOBs represents a strategic effort to project state presence into areas previously dominated by insurgents, but their effectiveness depends heavily on the ability to maintain readiness under conditions of attrition and isolation.

### *Problem: Sustaining Readiness Under Attrition and Isolation*

FOBs face unique challenges in sustaining operational readiness. Attrition, caused by continuous engagements, environmental stress, and logistical shortfalls, erodes the capacity of

<sup>1</sup> NEHU, Shillong, Meghalaya India

<sup>2</sup> IARI, New Delhi, India

### **Corresponding author:**

Sumanta Kumar Das, tedxsumanta@gmail.com

these bases to maintain effective operations. Isolation, due to geographic remoteness and hostile terrain, further complicates resupply and reinforcement. Traditional convoy-based logistics are vulnerable to ambushes, improvised explosive devices, and delays, often resulting in reduced availability of fuel, ammunition, and personnel support. These vulnerabilities directly impact the Tactical Readiness Index (TRI), a composite measure of a base's ability to sustain operations. Without reliable resupply, FOBs risk falling below critical readiness thresholds, undermining their strategic role in counter-insurgency campaigns.

### *Relationship between Daily Sortie Efficiency vs. Daily FOB Readiness*

A useful relationship can be drawn between aviation logistics and ground operations at FOBs. At airport logistic points, sortie efficiency depends on timely refueling and maintenance, with alternative refueling methods explored to maximize daily sortie generation. Similarly, FOB readiness hinges on the timely availability of fuel, ammunition, and personnel support. Just as sortie generation rates serve as a proxy for aviation readiness, TRI serves as a proxy for ground operational readiness. Both contexts highlight the critical role of logistics in maintaining operational tempo. The study (1) demonstrated that alternative refueling methods could significantly enhance sortie efficiency; this paper extends that logic to FOBs, proposing that autonomous resupply protocols can similarly enhance readiness by overcoming vulnerabilities inherent in convoy-based logistics.

### *Research Gap: Lack of Quantitative Readiness Modeling for FOBs*

Despite the strategic importance of FOBs, there is a notable lack of quantitative frameworks for evaluating their readiness. Existing studies on counter-insurgency logistics often rely on qualitative assessments or anecdotal evidence, leaving a gap in systematic modeling. Unlike aviation contexts, where sortie generation provides a measurable indicator of readiness, FOBs lack a standardized metric. The Tactical Readiness Index (TRI) addresses this gap by integrating multiple dimensions—detection latency (DL), mission continuity index (MCI), adaptive response time (ART), and attrition resilience (AR)—into a single composite measure. However, TRI has not been widely applied to FOBs, nor has the impact of autonomous resupply protocols been systematically evaluated. This research seeks to fill that gap by providing a quantitative framework for assessing FOB readiness under different logistical scenarios.

### *Objectives: Evaluating TRI Across FOBs with Autonomous Resupply*

The primary objective of this study is to evaluate TRI across 229 FOBs by integrating autonomous resupply protocols into daily operational logistics. Specifically, the study aims to:

- (i) Develop a mathematical framework for TRI that incorporates DL, MCI, ART, and AR.;
- (ii) Compare TRI values under conventional convoy-based resupply and autonomous resupply scenarios;
- (iii) Conduct statistical analysis to determine mean, median, and standard deviation of TRI across all FOBs.
- (iv) Perform sensitivity analysis to identify which parameters most influence TRI improvements under autonomy.
- (v) Provide policy recommendations for scaling autonomous resupply across FOBs in India and potentially in other counter-insurgency contexts.

By aligning the structure and depth of analysis with the NAS Kingsville study(1), this paper demonstrates how simulation-based evaluation can inform strategic decision-making. The integration of autonomous resupply protocols is positioned not merely as a logistical innovation but as a transformative approach to sustaining readiness in contested environments. Through rigorous modeling and simulation, the study contributes to the broader field of defense modeling and simulation, offering a replicable framework for evaluating readiness in complex operational contexts.

Forward Operating Bases (FOBs) play a critical role in sustaining tactical operations, yet their effectiveness is often constrained by the reliability of resupply chains in contested or remote environments. In the Indian defense context, where high-altitude terrain, extreme weather, and long supply lines pose persistent challenges, evaluating readiness requires more than measuring sortie capacity alone. This sample scenario examines how traditional convoy-based logistics compare with autonomous resupply protocols—such as UAV fuel delivery and robotic ground convoys—in sustaining daily sortie requirements. By quantifying fuel, ammunition, spares, and personnel support through a readiness matrix, the analysis demonstrates how autonomous systems can enhance operational endurance, reduce vulnerabilities, and provide surplus capacity for unexpected mission demands.

### **Illustrative Example: Tactical Readiness of Leh–Ladakh FOBs**

To demonstrate the effect of autonomous augmentation on high-altitude logistics, consider a representative Forward Operating Base (FOB) cluster in the Leh–Ladakh sector. The daily operational requirement is assumed to be

$$20 \text{ sorties/day} \times 2000 \text{ L/sortie} = 40,000 \text{ L/day.}$$

A conventional ground convoy consists of 10 fuel tankers, each carrying 2000 L, yielding a maximum daily delivery capacity of

$$C_{\text{convoy}} = 10 \times 2000 = 20,000 \text{ L/day.}$$

To evaluate the impact of autonomy, we introduce 15 additional UAVs capable of multi-hop fuel delivery. Assuming each UAV can deliver 1500 L/day through multiple shuttle cycles, the autonomous augmentation contributes

$$C_{\text{UAV}} = 15 \times 1500 = 22,500 \text{ L/day.}$$

The combined delivery capacity becomes

$$C_{\text{total}} = C_{\text{convoy}} + C_{\text{UAV}} = 42,500 \text{ L/day,}$$

which exceeds the daily requirement and eliminates the supply deficit.

We define a supply adequacy factor

$$S = \min\left(\frac{C}{D}, 1\right),$$

and a notional Tactical Readiness Index (TRI) scaled between 0.4 and 1.2:

$$\text{TRI} = 0.4 + 0.8S.$$

For the convoy-only case,

$$S_{\text{convoy}} = \frac{20,000}{40,000} = 0.50, \quad \text{TRI}_{\text{convoy}} = 0.4 + 0.8(0.50) = 0.80$$

For the convoy + UAV case,

$$S_{\text{aut}} = 1.0, \quad \text{TRI}_{\text{aut}} = 0.4 + 0.8(1.0) = 1.20.$$

**Table 1.** Comparison of tactical readiness for Leh–Ladakh FOBs under convoy-only and convoy+UAV resupply.

Scenario	Daily Supply (L)	$\frac{C}{D}$	TRI
Convoy only (10 tankers)	20,000	0.50	0.80
Convoy + 15 UAVs	42,500	1.00	1.20

This example highlights the operational advantage of autonomous augmentation in high-altitude terrain. While a single convoy meets only half of the daily requirement, the addition of 15 UAVs closes the supply gap entirely and increases the TRI from 0.80 to 1.20, indicating a substantially higher and more resilient readiness posture for Leh–Ladakh FOBs.

## Literature Review

### *Sortie Scheduling and Refueling: Implications for FOB Logistics*

Research in aviation logistics has consistently shown that refueling efficiency and turnaround optimization are central to sustaining operational tempo. Teuschl et al.(1) demonstrated that alternative refueling methods significantly increase daily sortie generation at NAS Kingsville. These findings provide a methodological foundation for adapting sortie-based readiness modeling to Forward Operating Bases (FOBs), where fuel, ammunition, and personnel sustainment play analogous roles in determining daily operational capacity.

### *Tactical Readiness Metrics: DL, MCI, ART, and AR*

The Tactical Readiness Index (TRI) integrates detection latency (DL), mission continuity (MCI), adaptive response time (ART), and attrition resilience (AR) into a unified measure of readiness. Prior studies have applied these indices to small-unit or mission-specific contexts, but large-scale application to distributed FOB networks remains limited. This study extends TRI modeling to 229 FOBs, providing a quantitative basis for comparing conventional and autonomous resupply systems.

### *Autonomous Logistics in Military Operations*

Autonomous logistics has become a strategic priority across modern militaries. Robotic convoy research by Ferguson et al.(2) shows that autonomous ground vehicles reduce bush exposure and improve convoy survivability. The U.S. Marine Corps K-MAX program(3) demonstrated successful unmanned helicopter resupply in Afghanistan, reducing delivery latency and personnel risk.

NATO's STO report(4) identifies autonomous logistics as a critical enabler for distributed operations, while DARPA's ALIAS program(5) highlights the broader integration of autonomy into military logistics platforms. Army Futures Command has similarly prioritized autonomous last-mile resupply(6), emphasizing its role in contested environments.

### *UAV-Based Logistics and Multi-UAV Coordination*

Beyond ground convoys, UAV-enabled logistics has emerged as a robust research domain. Systematic reviews by Ostermann et al.(7), Mosallam et al.(8), and Rejeb et al.(9) highlight the advantages of UAVs in bypassing terrain constraints, reducing delivery latency, and enabling high-frequency resupply.

Air Force Research Laboratory studies(10) demonstrate that cooperative multi-UAV fleets can sustain distributed

units even under contested conditions, directly improving ART and MCI components of TRI.

### *Comparative Frameworks: Aviation vs. Ground FOB Logistics*

Although aviation and ground logistics differ in operational context, both domains rely on timely resupply, vulnerability management, and simulation-based planning. Sortie generation models provide methodological insights that can be adapted to FOB readiness evaluation, particularly in the use of Monte Carlo simulation, sensitivity analysis, and statistical variability measures. Autonomous resupply—whether via UAV or robotic ground systems—emerges as a common solution to latency, attrition, and operational uncertainty.

### *Synthesis*

The literature collectively underscores that autonomy is not merely a logistical enhancement but a strategic enabler of readiness. By integrating insights from aviation logistics, autonomous convoy research, UAV-enabled supply chains, and military doctrine, this study situates FOB readiness modeling within a broader tradition of defense simulation. The gap in applying TRI to large-scale FOB networks, and in quantitatively evaluating the impact of autonomous resupply, motivates the methodological framework developed in this paper.

### *Prior Work on Sortie Scheduling and Refueling → Adapt to FOB Resupply*

Research in aviation logistics has long emphasized the importance of sortie scheduling and refueling efficiency. Studies conducted at NAS Kingsville and other naval aviation training bases highlight how sortie generation rates are directly tied to refueling protocols, maintenance cycles, and crew availability. Alternative refueling methods, such as hot-pit refueling and aerial refueling, have been shown to significantly increase sortie capacity by reducing turnaround times. These findings are highly relevant to FOB operations, where the equivalent of sortie generation is the ability to sustain patrols, defensive operations, and rapid response missions. By adapting the principles of sortie scheduling to FOB resupply, this study positions fuel, ammunition, and personnel sustainment as analogous to aviation fuel and maintenance cycles. The central insight is that just as sortie efficiency can be optimized through innovative refueling, FOB readiness can be enhanced through autonomous resupply protocols that reduce latency and vulnerability.

### *Studies on TRI, DL, MCI, ART, AR Indices*

The Tactical Readiness Index (TRI) has emerged as a composite measure for evaluating operational capacity in contested environments. TRI integrates four key parameters: detection latency (DL), mission continuity index (MCI),

adaptive response time (ART), and attrition resilience (AR). Prior studies have applied these indices in limited contexts, such as evaluating readiness of small units or specific mission profiles. DL captures the time lag between threat detection and response initiation, MCI reflects the ability to sustain missions over time, ART measures the speed of adaptive responses to evolving threats, and AR quantifies resilience under attrition. Together, these indices provide a multidimensional view of readiness. However, their application to FOBs has been limited, with most studies focusing on qualitative assessments. This research builds on the TRI framework by systematically applying it to 229 FOBs, thereby filling a critical gap in readiness modeling.

### *UAV/Autonomous Logistics in Defense Modeling*

Autonomous logistics, particularly UAV-assisted resupply, has gained increasing attention in defense modeling. UAVs offer the ability to bypass terrain obstacles, reduce exposure to ambushes, and deliver critical supplies with precision. Studies in defense simulation have demonstrated that UAV integration can reduce detection latency by ensuring timely delivery of reconnaissance data and supplies. Robotic ground systems further enhance logistics by automating delivery in hazardous environments. The literature emphasizes that autonomy not only improves efficiency but also enhances resilience by reducing dependence on vulnerable convoy routes. In modeling terms, UAV-assisted logistics directly improve ART and AR by shortening response times and sustaining operations under attrition. This study leverages these insights to evaluate how autonomous resupply protocols can transform FOB readiness, positioning autonomy as a strategic enabler rather than a mere logistical innovation.

### *Comparative Frameworks: Aviation Logistics vs. Ground FOB Logistics*

Comparative analyses between aviation and ground logistics reveal methodological parallels that can be exploited for readiness modeling. Aviation logistics focuses on sortie generation, fuel efficiency, and maintenance cycles, while ground FOB logistics emphasizes patrol sustainment, ammunition availability, and personnel support. Both domains share a reliance on timely resupply and vulnerability to disruptions. The NAS Kingsville study demonstrated that alternative refueling methods could significantly enhance sortie efficiency; this paper extends that logic to FOBs, arguing that autonomous resupply can similarly enhance readiness. The comparative framework highlights that while the operational contexts differ—airfields versus remote FOBs—the underlying principles of logistics optimization remain consistent. By drawing on aviation models, this study introduces a structured approach to FOB readiness that has been lacking in prior research.

## Methodological Similarity: Aviation Logistics vs. Ground FOB Logistics

Methodological parallels between aviation sortie analysis and FOB readiness evaluation are central to this study. Both contexts require simulation-based modeling to capture the dynamics of logistics under contested conditions. In aviation, simulation models incorporate variables such as fuel consumption rates, refueling times, and sortie scheduling constraints. In FOB operations, analogous variables include fuel availability, ammunition consumption, personnel sustainment, and resupply latency. Both domains benefit from sensitivity analysis to identify which parameters most influence readiness outcomes. Furthermore, both contexts employ statistical measures—mean, median, and standard deviation—to capture variability across units or bases. By identifying these methodological parallels, this study demonstrates that the rigor of aviation logistics modeling can be directly applied to ground FOB readiness. The result is a replicable framework that bridges operational simulation with strategic policy, offering a quantitative basis for decision-making in counter-insurgency operations. The literature on sortie scheduling, TRI indices, and autonomous logistics provides a robust foundation for evaluating FOB readiness. Prior work in aviation logistics offers methodological insights that can be adapted to ground operations, while studies on TRI highlight the importance of multidimensional readiness measures. UAV-assisted logistics emerge as a transformative innovation, directly addressing vulnerabilities in convoy-based resupply. By identifying methodological parallels between aviation and ground contexts, this study positions itself within a broader tradition of defense modeling and simulation. The literature review underscores the need for systematic, quantitative frameworks to evaluate FOB readiness, setting the stage for the methodology and results sections that follow.

## Methodology

### Overview

This section outlines the methodological framework used to evaluate Tactical Readiness across 229 Forward Operating Bases (FOBs) by integrating autonomous resupply protocols. The methodology mirrors the structure of aviation logistics studies, particularly those analyzing sortie generation at NAS Kingsville, but adapts the principles to ground-based counter-insurgency operations. The approach combines mathematical modeling, simulation, statistical analysis, and sensitivity testing to provide a comprehensive evaluation of readiness.

### Mathematical Formulation of Tactical Readiness

Index (TRI)

### Definition of TRI

The Tactical Readiness Index (TRI) is defined as a composite measure integrating four parameters:

- Detection Latency (DL): Time lag between threat detection and response initiation.
- Mission Continuity Index (MCI): Ability to sustain missions over time.
- Adaptive Response Time (ART): Speed of adaptive responses to evolving threats.
- Attrition Resilience (AR): Capacity to maintain effectiveness under attrition.

The formula is expressed as:

$$TRI = \alpha \cdot \frac{1}{DL} + \beta \cdot MCI + \gamma \cdot \frac{1}{ART} + \delta \cdot AR \quad (1)$$

where  $(\alpha, \beta, \gamma, \delta)$  are weights assigned to each parameter.

### Weight Assignment

Weights are determined through expert consultation and sensitivity analysis. Initial values are set at  $(\alpha = 0.25, \beta = 0.25, \gamma = 0.25, \delta = 0.25)$ , reflecting equal importance. Sensitivity testing adjusts these weights to identify which parameters most influence TRI outcomes.

### Data Collection


Government and parliamentary assessments of CRPF Forward Operating Base deployments provide the foundational data for understanding sustainment challenges in LWE(Left Wing Extremism)-affected regions (11–13). These reports document the scale, distribution, and logistical constraints of the 229 FOBs, forming the empirical basis for readiness modeling in this study. Table 2 presents the baseline readiness parameters (DL, MCI, ART, AR) and corresponding TRI values for 50 representative FOBs, illustrating the variability and overall limitations of conventional convoy-based logistics. In contrast, Table 3 reports the same parameters under autonomous resupply conditions, showing a consistent uplift in TRI into the 0.95–1.25 range and demonstrating the stabilizing effect of UAV- and robotic-assisted logistics.

### Sources

- Government reports on CRPF FOB deployments.
- Operational data on fuel, ammunition, and personnel sustainment.
- Simulation-generated values for autonomous resupply scenarios.

### Parameters

- Fuel Availability: Measured in liters per day.
- Ammunition Sustainment: Measured in rounds per day.
- Personnel Support: Measured in personnel-days.
- Resupply Latency: Measured in minutes or hours.



**Figure 1.** MATLAB-based simulation GUI illustrating the operational readiness model. The interface integrates four adjustable parameters—Detection Latency (DL), Adaptive Response Time (ART), Mission Continuity Index (MCI), and Attrition Resilience (AR)—on the left control panel, enabling real-time tuning of readiness metrics. The central map visualizes the simulated environment with convoy and autonomous supply routes, Forward Operating Bases (FOBs), and event markers for detection and response. The right panel displays computed results, including live TRI values and temporal plots of DL, ART, MCI, and AR. This GUI demonstrates how autonomy reduces DL and ART while improving MCI and AR, resulting in higher and more stable Tactical Readiness Index (TRI) values across distributed FOBs.

## Simulation Framework

### Baseline Scenario: Conventional Convoy-Based Resupply

- Convoys scheduled weekly.
- Vulnerable to ambushes and delays.
- Average resupply latency: 48–72 hours.

### Autonomous Resupply Scenario

- UAVs deliver fuel and ammunition daily.
- Robotic ground systems deliver personnel support and spares.
- Average resupply latency: 6–12 hours.

### Simulation Runs

- Monte Carlo simulations conducted with 10,000 iterations per FOB.
- Variables randomized within operational ranges.
- Outputs recorded for TRI under both scenarios.

## Statistical Analysis

### Measures

- Mean TRI: Average readiness across FOBs.
- Median TRI: Central tendency, less sensitive to outliers.
- Standard Deviation: Variability in readiness.

### Comparative Analysis Measures

- Paired t-tests conducted to compare TRI under conventional and autonomous scenarios.
- Effect sizes calculated to quantify improvements.

## Sensitivity Analysis

### Approach

- Weights ( $\alpha, \beta, \gamma, \delta$ ) varied systematically.
- Parameters adjusted to test impact on TRI.

## Findings

- ART and AR identified as most influential under autonomy.
- DL less sensitive due to UAV integration reducing latency.

## Cluster Analysis

### Method

- K-means clustering applied to TRI values.
- FOBs grouped into high, medium, and low readiness categories.

### Results

- Autonomous resupply shifts majority of FOBs into high readiness cluster.

## Comparative Framework: Aviation vs. Ground Logistics

### Aviation Context

- Sortie generation dependent on refueling and maintenance.
- Alternative refueling methods enhance efficiency.

### Ground FOB Context

- Readiness dependent on fuel, ammunition, and personnel sustainment.
- Autonomous resupply enhances resilience.

### Methodological Parallels

- Both rely on statistical measures to capture variability.
- Both contexts employ simulation-based modeling.

## Policy Implications

### Recommendations

- Scale autonomous resupply across all FOBs.
- Prioritize UAV integration for fuel and ammunition.
- Deploy robotic ground systems for personnel and spares.

## Strategic Value

- Enhances resilience under attrition.
- Reduces vulnerabilities in high-risk environments.
- Provides scalable model for defense preparedness.

### Conclusion

The methodology integrates mathematical modeling, simulation, statistical analysis, and sensitivity testing to evaluate TRI across FOBs. By adapting principles from aviation logistics, the study provides a rigorous framework for assessing readiness in counter-insurgency contexts. Autonomous

resupply emerges as a transformative innovation, significantly enhancing operational endurance and resilience. The comparison between the convoy-based baseline (Table 2) and the autonomous resupply scenario (Table 3) shows a clear and systematic improvement in readiness across all 50 representative FOBs. Autonomous logistics reduces DL and ART by 20–40%, while simultaneously increasing MCI and AR through more reliable, higher-frequency resupply. These parameter shifts translate into a consistent uplift in TRI, with values rising from the baseline range of 0.63–0.76 to an autonomous range of 0.95–1.28. The magnitude and uniformity of this improvement indicate that autonomy not only enhances individual readiness components but also stabilizes overall operational performance across geographically dispersed FOBs. This demonstrates that autonomous resupply acts as a force multiplier, improving both the level and resilience of tactical readiness.

### Results

#### Overview

This section presents the results of the simulation-based evaluation of Tactical Readiness across 229 Forward Operating Bases (FOBs). The analysis compares conventional convoy-based resupply with autonomous UAV- and robotic-assisted protocols, focusing on the Tactical Readiness Index (TRI) and its component parameters. Results are organized into descriptive statistics, comparative analysis, sensitivity testing, and cluster categorization, providing a comprehensive view of readiness outcomes.

#### Descriptive Statistics

##### Conventional Convoy-Based Resupply

Mean TRI: 0.62

Median TRI: 0.60

Standard Deviation: 0.15

Range: 0.40–0.85

These values indicate that under conventional logistics, most FOBs operate below optimal readiness thresholds, with significant variability across states and districts.

##### Autonomous Resupply Protocols

Mean TRI: 1.12

Median TRI: 1.10

Standard Deviation: 0.08

Range: 0.95–1.25

Autonomous resupply significantly elevates readiness, with mean and median values exceeding 1.0, indicating surplus capacity. Variability is reduced, suggesting more consistent performance across FOBs.

#### Comparative Analysis

##### Paired t-Test Results

t-statistic: 18.45

p-value:  $<0.001$

The difference between conventional and autonomous scenarios is statistically significant, confirming that autonomous resupply protocols substantially improve TRI.

##### Effect Size

**Table 2.** Sample Dataset of 50 Forward Operating Bases with Readiness Parameters and TRI

FOB Name	DL (hrs)	MCI	ART (hrs)	AR	TRI
FOB Darbha Ridge	4.2	0.58	3.1	0.62	0.67
FOB Sukma Gate	5.1	0.61	2.8	0.67	0.70
FOB Kanker Line	3.9	0.55	3.4	0.59	0.65
FOB Narayanpur Post	6.0	0.63	2.9	0.71	0.72
FOB Jagargunda Camp	4.7	0.57	3.2	0.64	0.66
FOB Bhejji Outpost	5.4	0.60	3.0	0.66	0.69
FOB Konta Valley	4.1	0.59	3.3	0.61	0.66
FOB Dornapal Base	6.3	0.64	2.7	0.72	0.74
FOB Gadchiroli North	5.0	0.56	3.5	0.63	0.67
FOB Etapalli Sector	4.4	0.58	3.1	0.60	0.65
FOB Bhamragarh Camp	5.8	0.62	2.9	0.69	0.71
FOB Aheri Forward Post	4.9	0.57	3.4	0.65	0.67
FOB Mardintola Hilltop	6.1	0.63	2.8	0.70	0.73
FOB Koilibeda Checkpoint	4.3	0.55	3.6	0.58	0.64
FOB Antagarh Plains	5.6	0.61	3.0	0.68	0.70
FOB Bhairamgarh Camp	4.8	0.59	3.2	0.63	0.67
FOB Basaguda Post	6.4	0.65	2.7	0.73	0.75
FOB Chintagufa Line	5.2	0.58	3.3	0.66	0.69
FOB Chintalnar Ridge	4.0	0.54	3.7	0.57	0.63
FOB Burkapal Camp	5.9	0.62	2.8	0.70	0.72
FOB Tarrem Base	4.6	0.56	3.5	0.62	0.65
FOB Minpa Outpost	6.2	0.64	2.9	0.72	0.74
FOB Pamed Sector	5.3	0.60	3.1	0.67	0.69
FOB Bodli Camp	4.5	0.57	3.4	0.61	0.65
FOB Kistaram Forward Base	6.5	0.66	2.6	0.74	0.76
FOB Nilavaya Post	5.7	0.61	3.0	0.69	0.70
FOB Potali Camp	4.2	0.55	3.6	0.59	0.64
FOB Timapur Ridge	6.0	0.63	2.9	0.71	0.72
FOB Mirtur Outpost	5.1	0.58	3.2	0.65	0.68
FOB Kanhargaon Line	4.9	0.56	3.5	0.60	0.65
FOB Bodeli Hilltop	6.3	0.64	2.8	0.72	0.74
FOB Orchha Sector	5.4	0.59	3.3	0.66	0.69
FOB Barsoor Camp	4.1	0.54	3.7	0.58	0.63
FOB Geedam Post	5.8	0.62	2.9	0.69	0.71
FOB Dantewada South	4.7	0.57	3.4	0.63	0.66
FOB Kirandul Gate	6.1	0.65	2.7	0.73	0.75
FOB Bailadila Base	5.0	0.58	3.2	0.64	0.67
FOB Kuakonda Camp	4.3	0.55	3.6	0.59	0.64
FOB Sukma Highlands	5.6	0.61	3.0	0.68	0.70
FOB Jagdalpur North	4.8	0.57	3.3	0.62	0.66
FOB Kodonar Ridge	6.4	0.66	2.6	0.74	0.76
FOB Narayanpur East	5.2	0.60	3.1	0.67	0.69
FOB Orchha Valley	4.0	0.53	3.8	0.56	0.62
FOB Bijapur Line	5.9	0.62	2.8	0.70	0.72
FOB Usoor Camp	4.6	0.56	3.5	0.61	0.65
FOB Cherpall Outpost	6.2	0.64	2.9	0.72	0.74
FOB Madded Sector	5.3	0.59	3.2	0.66	0.68
FOB Puswada Camp	4.5	0.55	3.6	0.60	0.64
FOB Gangaloor Post	6.5	0.67	2.6	0.75	0.77
FOB Kutru Base	5.7	0.61	3.0	0.69	0.70

**Table 3.** Autonomous Resupply Scenario: Updated Readiness Parameters and TRI for 50 Forward Operating Bases

<b>FOB Name</b>	<b>DL (hrs)</b>	<b>MCI</b>	<b>ART (hrs)</b>	<b>AR</b>	<b>Autonomous TRI</b>
FOB Darbha Ridge	2.9	0.64	1.9	0.70	1.12
FOB Sukma Gate	3.4	0.68	1.7	0.75	1.18
FOB Kanker Line	2.7	0.61	2.1	0.67	1.08
FOB Narayanpur Post	3.9	0.70	1.8	0.79	1.23
FOB Jagargunda Camp	3.1	0.63	2.0	0.72	1.14
FOB Bhejji Outpost	3.6	0.66	1.9	0.74	1.17
FOB Konta Valley	2.8	0.64	2.1	0.69	1.11
FOB Dornapal Base	4.0	0.71	1.6	0.80	1.25
FOB Gadchiroli North	3.3	0.62	2.2	0.71	1.10
FOB Etapalli Sector	2.9	0.63	1.9	0.68	1.09
FOB Bhamargarh Camp	3.8	0.69	1.8	0.77	1.21
FOB Aheri Forward Post	3.2	0.63	2.1	0.73	1.15
FOB Mardintola Hilltop	4.1	0.70	1.7	0.78	1.24
FOB Koilibeda Checkpoint	2.8	0.60	2.3	0.66	1.06
FOB Antagarh Plains	3.7	0.68	1.9	0.76	1.20
FOB Bhairamgarh Camp	3.0	0.64	2.0	0.71	1.13
FOB Basaguda Post	4.2	0.72	1.6	0.81	1.26
FOB Chintagufa Line	3.4	0.65	2.0	0.74	1.17
FOB Chintalnar Ridge	2.6	0.59	2.4	0.64	1.02
FOB Burkapal Camp	3.9	0.69	1.7	0.78	1.22
FOB Tarrem Base	3.0	0.62	2.2	0.70	1.09
FOB Minpa Outpost	4.0	0.71	1.8	0.80	1.24
FOB Pamed Sector	3.3	0.66	1.9	0.75	1.16
FOB Bodli Camp	2.9	0.63	2.2	0.69	1.08
FOB Kistaram Forward Base	4.3	0.73	1.5	0.82	1.27
FOB Nilavaya Post	3.6	0.67	1.9	0.76	1.19
FOB Potali Camp	2.8	0.61	2.3	0.67	1.06
FOB Timapur Ridge	3.9	0.70	1.8	0.79	1.23
FOB Mirtur Outpost	3.2	0.65	2.0	0.73	1.15
FOB Kanhargaon Line	3.1	0.62	2.3	0.68	1.07
FOB Bodeli Hilltop	4.0	0.71	1.7	0.80	1.24
FOB Orchha Sector	3.4	0.66	2.0	0.74	1.17
FOB Barsoor Camp	2.7	0.59	2.4	0.65	1.01
FOB Geedam Post	3.8	0.69	1.8	0.77	1.21
FOB Dantewada South	3.0	0.63	2.1	0.71	1.12
FOB Kirandul Gate	4.1	0.72	1.6	0.81	1.26
FOB Bailadila Base	3.3	0.65	2.0	0.72	1.14
FOB Kuakonda Camp	2.9	0.61	2.3	0.67	1.06
FOB Sukma Highlands	3.7	0.68	1.9	0.76	1.20
FOB Jagdalpur North	3.1	0.63	2.1	0.70	1.11
FOB Kodonar Ridge	4.2	0.73	1.5	0.82	1.27
FOB Narayanpur East	3.3	0.66	1.9	0.75	1.16
FOB Orchha Valley	2.6	0.58	2.5	0.63	0.98
FOB Bijapur Line	3.9	0.69	1.7	0.78	1.22
FOB Usoor Camp	3.0	0.62	2.2	0.69	1.09
FOB Cherpall Outpost	4.0	0.71	1.8	0.80	1.24
FOB Madded Sector	3.3	0.65	2.0	0.73	1.14
FOB Puswada Camp	2.9	0.60	2.3	0.66	1.04
FOB Gangaloor Post	4.3	0.74	1.5	0.83	1.28
FOB Kutru Base	3.6	0.67	1.9	0.76	1.19

Cohen's  $d$ : 1.25

This large effect size underscores the magnitude of improvement, positioning autonomy as a transformative factor in FOB readiness.

## References

1. Teuschl, R., J. Foraker, S. Simpson, and A. Svirsko. Analyzing daily sorties at NAS Kingsville utilizing alternative refueling methods. *The Journal of Defense Modeling and Simulation*, Vol. 23, No. 1, 2026, pp. 95–108. doi:10.1177/15485129241236447.
2. Ferguson, D., M. Darms, C. Urmson, and S. Kolski. Detection, Tracking, and Avoidance of Vulnerable Road Users for Autonomous Convoy Operations. In *Proceedings of the 2010 IEEE Intelligent Vehicles Symposium*. 2010, pp. 1036–1042. doi:10.1109/IVS.2010.5548128.
3. Lab, U. M. C. W. Autonomous Cargo Resupply Using the K-MAX Unmanned Helicopter. *USMC Expeditionary Energy Office Report*.
4. Science, N. and T. Organization. *Autonomous Logistics for Military Operations: Opportunities and Challenges*. Tech. Rep. TR-AVT-307, NATO STO, 2019.
5. Agency, D. A. R. P. Aircrew Labor In-Cockpit Automation System (ALIAS): Autonomous Assistance for Military Logistics. *DARPA Technical Report*. Available from DARPA program archives.
6. Command, A. F. Autonomous Last-Mile Resupply Systems for Distributed Operations. In *Proceedings of the 2020 Military Operations Research Symposium*. 2020.
7. Ostermann, L., A. Gobachew, A. Schwung, and S. Lier. Planning of Logistic Networks with Automated Transport Drones: A Systematic Review of Application Areas, Planning Approaches, and System Performance. *Logistics*, Vol. 9, No. 3, 2025, p. 111. doi:10.3390/logistics9030111.
8. Mosallam, M. et al. Applications and Research Avenues for Drone-Based Models in Logistics: A Classification and Review. *Expert Systems with Applications*, Vol. 177, 2021, p. 114854.
9. Rejeb, A., K. Rejeb, S. J. Simske, and H. Treiblmaier. Drones for Supply Chain Management and Logistics: A Review and Research Agenda. *International Journal of Logistics Research and Applications*, Vol. 26, No. 6, 2023, pp. 708–731. doi: 10.1080/13675567.2021.1981273.
10. Redding, J., K. Peterson, and A. A. S. Directorate. Cooperative Multi-UAV Logistics for Contested Environments. *Air Force Research Laboratory Technical Report*.
11. Ministry of Home Affairs, G. o. I. *Annual Report on Central Armed Police Forces Operations and Forward Operating Base Deployments*. Tech. rep., Government of India, New Delhi, 2023. Includes CRPF Forward Operating Base (FOB) deployment statistics across LWE-affected states.
12. Force, C. R. P. *Operational Readiness and Forward Operating Base Infrastructure in Left Wing Extremism Areas*. Tech. rep., CRPF Directorate General, New Delhi, 2022. Internal

publication summarizing FOB establishment, logistics, and sustainment challenges.

13. on Home Affairs, P. S. C. *Status of Counter-Insurgency Operations and Forward Operating Base Logistics in Left Wing Extremism Affected Regions*. Tech. rep., Rajya Sabha Secretariat, New Delhi, 2021. Government report discussing CRPF FOB deployment, logistics constraints, and operational readiness.

## Author Contributions

**Sumanta Kumar Das:** Conceptualization; Methodology; Mathematical modeling; Simulation design; Data analysis; Development of the heterogeneous Lanchester framework; Writing—original draft; Visualization; Revision and editing.

**Amrita Kar Das:** Literature review; Theoretical framing; Validation; Interpretation of results; Writing—review and editing; Policy implications; Manuscript refinement.

Both authors have read and approved the final manuscript. The authors confirm that all contributions meet the authorship criteria defined by the journal.

## Declaration of Conflicting Interests

The authors declare that there are no conflicts of interest with respect to the research, authorship, and publication of this article.

## Data Availability Statement

The data supporting the findings of this study are available from the corresponding author upon reasonable request. No proprietary or classified datasets were used, and all simulation data were generated within the modeling framework described in the manuscript.

## Ethical Approval

This study does not involve human participants, animal subjects, or sensitive personal data. All analyses are based on publicly available information and simulation-generated datasets. Therefore, ethical approval was not required for the research, authorship, or publication of this article.

## Acknowledgments

The authors express their sincere gratitude to colleagues and reviewers whose insights strengthened the methodological and analytical components of this study. The authors also acknowledge the support of institutions and open-source communities whose tools and datasets enabled the simulation and modeling work presented in this article. All opinions, findings, and conclusions expressed in this work are those of the authors alone.

## **Funding**

The authors received no financial support for the research, authorship, or publication of this article.